



Atty. Pocket No. 215086US-2X

09978030 .030#07A

#7/A
9-12-02
M.L.
NOT Entered

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :

Hikaru DEGUCHI, et al. : GROUP ART UNIT: Unknown

SERIAL NO: 09/978,030 : EXAMINER: Not Yet Assigned

FILED: October 17, 2001 :

FOR: HUMAN RELATIONSHIPS :
REGISTERING SYSTEM,...

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the above-identified application, as follows:

IN THE SPECIFICATION:

N.E. Filed herewith is a substitute specification and marked-up copy of the original specification.

REMARKS

Favorable consideration of this application, in light of the present substitute specification and the following discussion, is respectfully requested.


Applicants hereby file a substitute specification and a marked-up copy of the original specification to correct typographical errors, and to bring the application into conformity with

the arrangement of application elements (37 C.F.R. §1.77). Applicants respectfully submit that the substitute specification does not add new matter.

Based on the foregoing, Applicants respectfully request consideration of the Preliminary Amendment and an early and favorable action on the merits.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier
Registration No. 25,599
Attorney of Record



22850

GJM:ycs
Phone No.: (703) 413-3000;
Fax No.: (703) 413-2220; and
I:\user\YCSTEF\filler\215086\Prelim Amend.wpd

Surinder Sachar
Registration No. 34,423

Atty. Docket No. 215086US-2X



SUBSTITUTE SPECIFICATION

5

TITLE OF THE INVENTION

10

**HUMAN RELATIONSHIPS REGISTERING SYSTEM,
METHOD AND DEVICE FOR REGISTERING HUMAN RELATIONSHIPS,
PROGRAM FOR REGISTERING HUMAN RELATIONSHIPS,
AND MEDIUM STORING HUMAN RELATIONSHIPS REGISTERING PROGRAM
AND READABLE BY COMPUTER**

15

BACKGROUND OF THE INVENTION

Field of the Invention

20

[0001] The invention relates to a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close human relationships.

25

Description of the Related Art

[0002] Up to now, there has been no efficient system or method which is usable in order to get acquainted with specialists in various particular fields and obtain expert knowledge or information.

30

[0003] Each person has been required to make every effort in order to establish wide and close relationships with a great number of people. There has been no system which actively supports such a person.

SUMMARY OF THE INVENTION

Problems to be solved by the Invention

[0004] The present invention is intended to provide a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium for storing human relationships registering program and readable by a computer, all of which are used to establish wide and close human relationships.

[0005] Further, the invention aims at providing a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close relationships with specialists in various particular fields and obtain expert knowledge or information.

Means to Solve the Problems

[0006] In order to accomplish the foregoing object of the invention, there is provided a human relationships registering system comprising:

[0007] a first data processing unit including a section for inputting personal data of new members;

[0008] and a second data processing unit including a section for storing the personal data of the new members, and storing the personal data of the new members by confirming relationships of the new members with existing members and correlating the new members with the existing members.

[0009] With the foregoing system, new members are not registered until they are confirmed by existing members, so that it is possible to maintain reliable human relationships between

members. Further, new members are correlated to existing members, which enable members to know their relationships with one another and create their own human relationships data. A personal computer or a server computer is applicable as a data processing unit in order to easily create human relationships data of a great number of members.

5 **[0010]** A further human relationships registering system comprises a first data processing unit connected to the Internet and having an input section, and a second data processing unit connected to the first data processing unit via the Internet, registering names of members received via the input section and storing data concerning the members. The data of new members received via the first data processing unit are confirmed by existing members, and
 10 are registered thereafter. The second data processing unit stores the new members in correlation with the existing members.

[0011] In this system, the first and second data processing units are provided at different locations and are connected via the Internet, which enables a number of members can gain access to the processing units from any location in order to register themselves. Therefore,
 15 this system is very convenient to use.

[0012] In the foregoing case, new members may be registered after they confirm their own data.

[0013] It is preferable to store data concerning occupations of new members to be registered. This is effective in enabling members to know specialists in various particular
 20 fields and obtain expert knowledge or information. In short, human relationships data are usable as one of effective measures for carrying out business activities.

[0014] It is preferable to store relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and store relationships coefficients of members who are related to the members

who agree to establish human relationships. The relationships coefficients may be effective in establishing wide and close relationships between members in a variety of technical fields, and promoting personal influences and contribution to the society.

5 **[0015]** Relationships between members can be objectively known on the basis of the relationships coefficients.

[0016] It is preferable to get agreement between existing members using e-mails. For this purpose, e-mails may be exchanged between members when it is necessary to establish relationships between them. In such a case, members may get acquainted with other members even when they do not know of one another directly. This is effective in increasing
10 the relationships coefficients.

[0017] The first data processing unit has a display to indicate a number of members and personal data thereof. The display shows human relationships data between members out of basic data in which new members are correlated with existing members. When a particular member is specified by the input section of the first data processing unit, the display
15 preferably shows the specified member in such a manner that it is correlated to particular existing members.

[0018] A method of registering human relationships comprises a first data processing step for connecting to the Internet and receiving data via the Internet, and a second data processing step for registering a plurality of members' names received in the first data processing step and storing personal data of the members. In the second data processing step, data of a new
20 member received via the Internet are registered after referring them back to an existing member, so that the new member's data are stored as basic data in correlation with the existing member.

[0019] This method is easily and effectively applicable to and used by the human

relationships registering system which operates via the Internet.

[0020] In the foregoing method, new members are preferably registered after they confirm their own data. Further, it is preferable to store data concerning occupations, technical fields and so on of the new members. Still further, when relationships are established between existing members upon their agreement, it is preferable to store relationships coefficients therebetween and relationships coefficients of members related to the existing members. The agreement between particular existing members is preferably reached by exchanging -mails.

5

[0021] The registered human relationships data are preferably used in the following steps:

[0022] creating human relationships data on the basis of basic data in which a plurality of members are correlated; indicating personal data of members;

10

[0023] and indicating the created human relationships data.

[0024] In this case, it is preferable to select a particular member in the first data processing step, and to indicate members who are correlated to the selected particular member as well as human relationships data.

15

[0025] In order to use the registered human relationships data, a member inputs his or her identification code in the first data inputting step. Once identified, the member is allowed to gain access to his or her registration and personal data. This prevents the foregoing data from being infinitely retrieved by members, and protects the data.

[0026] As another way of using the registered data, a member may specify a particular occupation and/or technical field in order to indicate members classified in the specified occupation and/or technical field. Therefore, the member can easily retrieve data of the desired members out of the human relationships data.

20

[0027] In a still further way of using the registered data in which relationships coefficients between members are stored, a member specifies a particular member in the first data

processing step, and indicates not only the human relationships data of the specified member but also those of the members correlated to the specified member and the relationships coefficients between the indicated members. This enables the member to easily know the relationships between the members and the relationships coefficients between them. In this case, it is also possible to indicate the members with a particular occupation and/or in a particular technical field, and the members correlated to the foregoing members. It is also possible to indicate the members having the relationships coefficients above a certain value. Therefore, the member can easily find desired members.

10

BRIEF DESCRIPTION OF THE DRAWINGS

[0028] Fig. 1 schematically shows how a human relationships registering system is constituted via a general communication line such as an Internet.

[0029] Fig. 2 is a schematic human relationships diagram created by the human relationships registering system.

15 **[0030]** Fig. 3 shows an example of a Web page used for entering the Web site offered by the human relationships registering system.

[0031] Fig. 4 shows an example of Web page used for registering a personal data of a new member at the human relationships registering system.

20 **[0032]** Fig. 5 shows an example of a Web page that an existing member uses for confirming a personal data of a new member.

[0033] Fig. 6 shows an example of Web page used for retrieving data in the human relationships registering system.

[0034] Fig. 7 shows an example of a Web page used for indicating retrieved data.

[0035] Fig. 8 is another schematic human relationships diagram created by the human

relationships registering system.

[0036] Fig. 9 is a graph showing relationships coefficient between members which are stored in the server 1.

[0037] Fig. 10 shows an example of personal data stored in the server 1.

5

Description of Reference Numerals

[0038] 2, 3 personal computers as first data processing units

[0039] 1 server as a second data processing unit

[0040] 4 Internet

10

DESCRIPTION OF THE PREFERRED EMBODIMENT

[0041] The invention will be described with respect to a human relationships registering system shown in the accompanying drawings. Fig. 1 schematically shows that this system is constituted using the Internet.

15

[0042] Referring to Fig. 1, members are accessible via the Internet 4 to a server 1 as a second data processing unit from their personal computers 2 and 3 as first data processing units. Each personal computer comprises a computer body, an input section such as a keyboard, mouse and so on, a display, a memory such as a RAM, a hard disc, and so on. The server 1 is similar to the personal computer. The personal computer may include a printer in order to print data.

20

[0043] The server 1 provides a Web site for constituting the human relationships registering system, stores names and personal data of registered members, and has a database for retrieving the names and personal data of the registered members. The Web site of the server 1 is assigned an address for the Internet 4.

[0044] Each of the personal computers 2 and 3 stores a browser in the storage such as a hard disc in order to perform communications via the Internet 4. The personal computer 2 or 3 activates the browser and specifies an address, thereby connecting to the Web site of the human relationships registering system offered by the server 1.

5 **[0045]** An input section of the personal computer 2 or 3 transmits registering data to the server 1 via the Internet 4. When a registration keyword or the like is inputted, the server 1 retrieves necessary data. The retrieved data are indicated on a display of the personal computer 2 or 3.

[0046] The use of the human relationships registering system will be described with
10 reference to Figs. 1 to 7. Fig 2. Is a schematic diagram showing human relationships data which are created by the human relationships registering system. Fig. 3 shows an example of a Web page used for entering the Web site offered by the server 1. Fig. 4 shows an example of a Web page used for registering a personal data of a new member at the human relationships registering system. Fig 5 shows an example of a Web page an existing member
15 uses for confirming a personal data of a new member. Fig. 6 shows an example of a Web page used for retrieving data in the human relationships registering system. Fig. 7 is an example of a Web page used to show retrieved results.

[0047] A new member is registered in the human relationships registering system (called the "system" hereinafter) as shown in Figs. 3 and 4. For convenience of description, it is
20 assumed that an existing member A with the personal computer 2 (called the "computer 2") is going to introduce a new member B who has the personal computer 3 and wishes to enter the system.

[0048] When the new member B enters the system by himself or herself, he or she activates the browser of the computer 3, inputs a Web site address and gains access to the server 1 via

the Internet 4. The computer 3 receives the Web page 21 as shown in Fig. 3 from the server 1 and indicates it on the display. The new member B clicks a new registration button 25 on the Web page 21, so that a signal is transmitted to the server 1. The computer 3 receives the Web page 31 as shown in Fig. 4 from the server 1 and indicates it on the display.

5 [0049] In Fig. 3, reference numeral 22 denotes a column to input an identification code, and reference numeral 23 denotes a column to input a password. By the way, the identification code and the password are inputted in the columns 22 and 23 when an existing member gains access to the server 1. Thereafter, the existing member can access the server 1 after pushing an OK button 24.

10 [0050] Referring to Fig. 4, the new member B enters his or her name 32, occupation 34, address 35, telephone number 36, e-mail address 37, technical field 38 and password 40 as well as the introducer's name 33. Confirming the entered data, the new member B clicks an OK button 39. Thereafter, the data will be transmitted to the server 1 via the Internet 4.

15 [0051] The computer 2 of the introducer A (i.e. the existing member A) receives Web page 41 as shown in Fig. 5 from the server 1 in response to an e-mail. The Web page 41 indicates the new member B's name, occupation, technical field in columns 42, 43 and 44. Confirming the contents, the introducer A clicks a confirmation button 45 on the Web page 41.

Thereafter, a confirmation signal is sent to the server 1. In response to the confirmation signal, the server 1 stores the new member B's personal data and password in correlation with the introducer A. Fig. 4 shows only some examples of data to be stored with respect to the new member B. The following data may be added: a new member's age, academic backgrounds, occupational backgrounds, qualifications and so on. The entered data can be updated in the server 1 whenever there are changes after the registration.

20

[0052] Alternatively, the introducer A may register the new member B. In this case, the

introducer A enters the personal data of the new member B (shown in Fig. 4) using his computer 2 in order to send them to the server 1. Thereafter, the computer 3 of the new member B receives the personal data from the server 1 by an e-mail. Confirming the received data, the new member B returns the confirmation signal to the server 1. Thus, the new member B will be registered in the server 1.

5

[0053] Further, when receiving an e-mail address of the new member B from the introducer A, the server 1 may send an e-mail to the new member B in order to urge the new member B to register his or her personal data. Upon receiving the personal data of the new member B, the server 1 stores the received data in correlation with the introducer A's name and so on.

10

[0054] The new member's data are confirmed by the introducer, and are stored in correlation with the introducer. The server 1 creates human relationships data and a human relationships diagram showing the human relationships on the basis of the relationships between the new member and the introducer. At the time of registration, a new member is assigned an identification code (ID No.).

15

[0055] The registered member can establish relationships with existing members, and obtain a relationship coefficient indicating degrees of relationships. For this purpose, members may send protocol e-mails to particular existing members. For instance, a sender may indicate that he or she respects or admires an existing member and wishes to establish relationships with the existing member, and so on. Such a protocol e-mail may be sent to the existing member as an e-mail via the server 1. In response to the protocol e-mail, the existing member may meet the sender's request, and establish the relationships with the sender.

20

Therefore, the sender can be related to the receiver (i.e. the existing member), and obtain a relationships coefficient. As will be described later, the relationships coefficient is maximum when the relationships are directly established between members while the relationships

coefficient becomes smaller when the relationships are indirectly established via other members. In other words, it is possible to objectively know a degree of relationships on the basis of the relationships coefficients.

5 [0056] The human relationships registering system shown in Fig. 1 and the human relationships diagram will be utilized as described hereinafter.

[0057] The server 1 creates a human relationships diagram as shown in Fig. 2 on the basis of the basic data in which members are registered in correlation with one another, and on the basis of agreements between members who have exchanged protocol e-mails. The server 1 sends the human relationships diagram to the computer 3. In Fig. 2, reference numerals 11 to 10 20 denote members, and lines denote members who are correlated with one another after exchanging protocol e-mails and agreeing to establish relationships. Further, relationships coefficients of the correlated members may be indicated in the human relationships diagram.

[0058] Relationships coefficients are updated each time new human relationships are established between registered members. The updated relationship coefficients are stored in 15 the server 1. Therefore, latest relationships can be known even after relationships are changed between registered members.

[0059] Referring to Fig. 2, the member 13 is directly related to the members 11, 14, 15, 16 and 18 while the member 13 is indirectly related to the members 12, 17, 19 and 20. Further, 20 it is possible to indicate all the members having relationships coefficients which are larger than a predetermined value. Still further, it is possible to indicate occupations and technical fields of members.

[0060] The following describe how the human relationships registering system is actually operated with reference to Figs. 3, 6 and 7. It is assumed here that the member B activates a browser of the computer 3 and connects to the server 1 via the Internet 4. The Web page 21

(shown in Fig. 3) is indicated on the display of the computer 3. The member B enters his or her identification code (ID No.) and password on the columns 22 and 23 via the input section, and clicks the OK button 24. The input data are sent to the server 1, which confirms whether the identification code agrees with the password, and indicates a Web page 57 (shown in Fig. 6) on the display of the computer 3.

5

[0061] The identification codes are usually assigned to the members by the server 1. Alternatively, members' e-mail addresses may be used as identification codes.

[0062] In order to know the human relationships of the member 13 (shown in Fig. 2), the member B enters the data concerning the member 13 on the columns 52 to 55, clicks a retrieve button 56. Then, the Web page 61 (shown in Fig. 7) is indicated on the display of the computer 3, and indicates on columns 63 to 67 the members 11, 15, 18, 12, 17 and so on who are related to the member 13. The occupations and relationship coefficients of the members 11, 15, 18, 12, 17 and so on are indicated on columns 70 and 71. In this case, it is possible to indicate only the members whose relationship coefficients exceed the predetermined value.

10

A plurality of retrieval keywords may be input in the columns 52 to 55. Further, the Web page 61 may indicate technical fields and so on of the related members.

15

[0063] In order to retrieve data concerning members having particular occupations or engaged in particular technical fields, the member B enters keywords of the particular occupations or technical fields in the columns 52 to 55. The entered data are sent to the server 1, which retrieves desired data and indicates them on the computer 3. Alternatively, personal data of the retrieved members may be indicated by double clicking the columns 63 to 67.

20

[0064] Further, the relationship coefficients may be used as the keywords for the retrieval. In other words, it is possible to retrieve members who are related to a particular member (who

may be a retrieving member) and have the relationships coefficient of a particular value.

[0065] According to the invention, it is possible to get acquainted with specialists in various particular fields by indicating occupations and technical fields of members with the human relationships diagram. Therefore, the invention is useful in order to obtain expert knowledge or information. In short, the human relationships diagram can be applied as one of effective business measures.

[0066] Referring to the indicated relationships coefficients of members, some members who are not directly related to a desired member shown in the human relationship diagram can find an introducer (another member) related to the desired member.

[0067] The relationships coefficients will be described in detail. Figs. 8(a) to 8(c) show examples of human relationship diagrams created as human relationships data. The human relationships change from a state (a) to a state (b) and to a state (c). In these drawings, characters M, I, D, S and N denote members who are connected by lines when relationships are established therebetween.

[0068] Referring to Fig. 8(a), the member M is directly related to the member I, and is indirectly related to the members D and S. The term "directly" means that the relationship is established between the members M and I by exchanging the protocol e-mails therebetween. The term "indirectly" means that the member M has no direct relationship with the members D and S. In short, the member M is related to the members D and S via the member I.

[0069] In Fig. 8(b), the members M and D are directly related to each other by exchanging the protocol e-mails.

[0070] Fig. 8(c) shows that the member N is directly related to the member I by exchanging the protocol e-mails, and is indirectly related to the members M, D and S via the member I.

[0071] Figs. 9(a) to 9(c) are tables showing examples of relationships coefficients of the

members stored in the server 1. These tables correspond to Fig. 8(a) to 8(c), respectively. Characters ID-M, ID-I, ID-D, ID-S and ID-N denote the identification codes of the members M, I, D, S and N. The figures in Figs. 9(a) to 9(c) are the relationship coefficients between members.

5 [0072] A maximum relationships coefficient "1.0" is assigned when members are directly related to each other. The relationships coefficient "1.0" is halved as the number of intermediate members increases. In short, a relationship coefficient "0.5" is assigned to a first member and a third member when a first member is related to a third member via a second member who is directly related to the first member. A minimum relationship
10 coefficient "0.25" is assigned to a first member and a fourth member when the first member is related to the fourth member via the second member and the third member who is directly related to the second member.

[0073] Referring to Fig. 9(a), the relationships coefficients assigned to the member M are "1.0" based on direct relationship to the member I, "0.5" based on relationship to the member
15 D via the member I, "0.25" based on relationship to the member S via the members I and D.

[0074] In the example shown in Fig. 9(b), if the member M is directly related to the member D (by exchanging the protocol e-mails), the relationships coefficient is changed to "1.0" between the members M and D. Further, the relationships coefficient is changed to
20 "0.5" between the member M and the member S who is directly related to the member D. Needless to say, the relationship coefficient remains "1.0" between the member M and I who are directly related.

[0075] As shown in Fig. 9(c), the relationships coefficient "1.0" is assigned to the member N who is directly related to the member I. The relationships coefficient "0.5" is assigned to

the member N who is related to the members D and M via the member I. The relationships coefficient "0.25" is assigned to the member N who is related to the member S via the members I and D.

5 [0076] As described above, it is possible to objectively know degrees of the human relationships on the basis of the relationship coefficients. The following describe a case in which the member S (shown in Fig. 8(a)) retrieves data of existing members using a keyword "law" representing a technical field.

10 [0077] Fig. 10 shows an example of personal data of the members M, I, D and S which are stored in the server 1. In response to the keyword "law" entered by the member S, the server 1 retrieves and outputs data concerning the members M and I who are practicing the law. In this case, the relationships coefficients between the member S and the members M and I (shown in Fig. 8(a)) may be also indicated. This enables the member S to check the presence of the member whose relationship coefficient is high to the member S. Further, the server 1 may indicate a human relationships diagram concerning the members S, M and I (shown in 15 Fig. 8(a)). On the basis of the human relationships diagram, the member S who is retrieving the data can confirm the degree of relationships with the members M, I and himself or herself. For example, the member S can know that he or she is accessible to the member I via the member D who is directly related to the members I and S.

20 [0078] When a computer-readable recording medium such as a CD-ROM which stores the program for executing the human relationships registering method of the invention is used, another computer (not shown) can function as a server by reading the stored program similarly to the server 1.

[0079] Although the invention has been described with respect to one embodiment thereof, it will be understood that various modifications or alterations are possible without departing

from the spirit of the present invention. For instance, a plurality of computers may be connected to a server using a dedicated line such as a LAN in place of the Internet. The Web pages are simply shown as examples, and may be configured as desired.

5 Effects of the Invention

[0080] The invention is effective and useful when persons create human relationships data in order to get acquainted with specialists in various particular fields, and obtain expert knowledge or information.

10 [0081] According to the invention, the relationships coefficients are not assigned until relationships are established between members after mutual agreements are reached. The invention actively assists persons to establish wide and close relationships between members registered in the human relationships registering system.

15 [0082] Further, when some member retrieves data on existing members, relationship coefficients of the retrieving member and the existing members whose data are being retrieved are indicated. The retrieving member can select at least members who are close to him or her.

WHAT IS CLAIMED IS:

1. A human relationships registering system comprising:

a first data processing unit including section for inputting personal data of new members;

5 and a second data processing unit including section for storing the received personal data of the new members by confirming relationships of the new members with existing members and by correlating the new members with the existing members.

2. The human relationships registering system of claim 1, wherein the second data processing unit stores relationships coefficients representing degrees of relationships between
10 particular members who agree to establish human relationships therebetween,

and stores relationships coefficients of members who are related to the members who agree to establish human relationships.

3. The human relationships registering system of claim 2, wherein the agreement between the members is confirmed by exchanging e-mails.

15 4. The human relationships registering system of claim 2 or 3, wherein the second data processing unit creates human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and provide the created data to the members.

5. A method of registering human relationships, comprising:

20 inputting personal data of new members in a server;

and storing the personal data of the new members in the server by confirming the new members' relationships with existing members and by correlating the new members with the existing members.

6. The method of registering human relationships of claim 5, further comprising:

storing relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween,

and relationships coefficients of members who are related to the members who agree to establish human relationships.

5 7. The method of claim 6, wherein the agreement between the members is confirmed by exchanging e-mails.

8. The method of claim 6 or 7, further comprising:

creating human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and providing the created data to
10 the members.

9. A server for registering human relationships, comprising:

a section for receiving personal data of new members;

a section for confirming the received personal data by referring them back to existing members;

15 and a section for storing the confirmed data in correlation with the existing members.

10. The server of claim 9, wherein the storing section stores relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships,

20 and relationships coefficients of members who are related to the members who agree to establish human relationships.

11. The server of claim 10, wherein the agreement between the members is confirmed by exchanging e-mails.

12. The server of claim 10 or 11, wherein human relationships data are created on the basis of stored personal data and relationships coefficients between members in response to

members' requests, and the created data are provided to the members.

13. A human relationships registering program used by a server defined in any one of claims 9 to 12, the server being a computer.

5 14. A recording medium for storing the human relationships registering program defined in claim 13, and being readable by a computer.

ABSTRACT OF THE DISCLOSURE

To provide a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close relationships with members having a variety of occupations or engaged in various technical fields and to obtain expert knowledge or information. The human relationships registering system comprises first data processing units 2 and 3 including sections for receiving personal data of a new member, and a second data processing unit including a section for storing the received personal data. The second data processing unit stores the personal data of the new member in correlation to an existing member when the existing member confirms the new member.

[Reference Drawing] Fig. 1

MARKED-UP COPY
SUBSTITUTE SPECIFICATION
09/978,030



~~{Document}~~ Specification
[Title of the Invention]

HUMAN RELATIONSHIPS REGISGTERING SYSTEM, METHOD AND DEVICE FOR REGISTERING HUMAN RELATIONSHIPS, PROGRAM FOR REGISTERING HUMAN RELATIONSHIPS, AND MEDIUM STORING HUMAN RELATIONSHIPS REGISTERING PROGRAM AND READABLE BY COMPUTER

INSERT B

[What is claimed is:]

1. A human relationships registering system comprising: a first data processing unit including section for inputting personal data of new members; and a second data processing unit including section for storing the received personal data of the new members by confirming relationships of the new members with existing members and by correlating the new members with the existing members.
2. The human relationships registering system of claim 1, wherein the second data processing unit stores relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and stores relationships coefficients of members who are related to the members who agree to establish human relationships.
3. The human relationships registering system of claim 2, wherein the agreement between the members is confirmed by exchanging e-mails.
4. The human relationships registering system of claim 2 or 3, wherein the second data processing unit creates human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and provide the created data to the members.
5. A method of registering human relationships, comprising: inputting personal data of new members in a server; and storing the personal data of the new members in the server by confirming the new members' relationships with existing members and by correlating the new members with the existing members.
6. The method of registering human relationships of claim 5 further comprising storing relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and relationships coefficients of members who are related to the members who agree to establish human relationships.

INSERT B CONT'D

7. The method of claim 6, wherein the agreement between the members is confirmed by exchanging e-mails.

8. The method of claim 6 or 7 further comprising creating human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and providing the created data to the members.

9. A server for registering human relationships, comprising: a section for receiving personal data of new members; a section for confirming the received personal data by referring them back to existing members; and a section for storing the confirmed data in correlation with the existing members.

10. The server of claim 9, wherein the storing section stores relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships, and relationships coefficients of members who are related to the members who agree to establish human relationships.

11. The server of claim 10, wherein the agreement between the members is confirmed by exchanging e-mails.

12. The server of claim 10 or 11, wherein human relationships data are created on the basis of stored personal data and relationships coefficients between members in response to members' requests, and the created data are provided to the members.

13. A human relationships registering program used by a server defined in any one of claims 9 to 12, the server being a computer.

14. A recording medium for storing the human relationships registering program defined in claim 13, and being readable by a computer.

[Detailed Description of the Invention]

[0001]

BACKGROUND OF THE INVENTION

[Field of the Invention]

The invention relates to a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close human relationships.

[0002]

DESCRIPTION OF
[Related Art]

Up to now, there has been no efficient system or method which is usable in order to get acquainted with specialists in various particular fields and obtain expert knowledge or information.

Each person has been required to make every effort in order to establish wide and close relationships with a great number of people. There has been no system which actively supports such a person.

[0003]

SUMMARY OF THE INVENTION

[Problems to be solved by the Invention]

The present invention is intended to provide a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium for storing human relationships registering program and readable by a computer, all of which are used to establish wide and close human relationships.

Further, the invention aims at providing a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close relationships with specialists in various particular fields and obtain expert knowledge or information.

[0004]

[Means to solve the Problems]

In order to accomplish the foregoing object of the invention, there is provided a human relationships registering system comprising: a first data processing unit including a section for inputting personal data of new members; and a second data processing unit including a section for storing the personal data of the new members, and storing the personal data of the new members by confirming relationships of the new members with existing members and correlating the new members with the existing members.

[0005]

With the foregoing system, new members are not registered until they are confirmed by existing members, so that it is possible to maintain reliable human relationships between members. Further, new members are correlated to existing members, which enable members to know their relationships with one another and create their own human relationships

data. A personal computer or a server computer is applicable as a data processing unit in order to easily create human relationships data of a great number of members.

[0006]

A further human relationships registering system comprises a first data processing unit connected to the Internet and having an input section, and a second data processing unit connected to the first data processing unit via the Internet, registering names of members received via the input section and storing data concerning the members. The data of new members received via the first data processing unit are confirmed by existing members, and are registered thereafter. The second data processing unit stores the new members in correlation with the existing members.

[0007]

In [the] this system, the first and second data processing units are provided at different locations and are connected via the Internet, which enables a number of members can gain access to the processing units from any locations in order to register themselves. Therefore, this system is very convenient to use.

[0008]

In the foregoing case, new members may be registered after they confirm their own data.

[0009]

It is preferable to store data concerning occupations of new members to be registered. This is effective in enabling members to know specialists in various particular fields and obtain expert knowledge or information. In short, human relationships data are usable as one of effective measures for carrying out business activities.

[0010]

It is preferable to store relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and store relationships coefficients of members who are related to the members who agree to establish human relationships. The relationships coefficients may be effective in establishing wide and close relationships between members in a variety of technical fields, and promoting personal influences and contribution to the society.

existing members. The agreement between particular existing members is preferably reached by exchanging e-mails.

[0016]

The registered human relationships data are preferably used in the following steps: creating human relationships data on the basis of basic data in which a plurality of members are correlated; indicating personal data of members; and indicating the created human relationships data. In this case, it is preferable to select a particular member in the first data processing step, and to indicate members who are correlated to the selected particular member as well as human relationships data.

[0017]

In order to use the registered human relationships data, a member inputs his or her identification code in the first data inputting step. Once identified, the member is allowed to gain access to his or her registration and personal data. This prevents the foregoing data from being infinitely retrieved by members, and protects the data.

[0018]

As another way of using the registered data, a member may specify a particular occupation and/or technical field in order to indicate members classified in the specified occupation and/or technical field. Therefore, the member can easily retrieve data of the desired members out of the human relationships data.

[0019]

In a still further way of using the registered data in which relationships coefficients between members are stored, a member specifies a particular member in the first data processing step, and indicates not only the human relationships data of the specified member but also those of the members correlated to the specified member and the relationships coefficients between the indicated members. This enables the member to easily know the relationships between the members and the relationships coefficients between them. In this case, it is also possible to indicate the members with a particular occupation and/or in a particular technical field, and the members correlated to the foregoing members. It is also possible to indicate the members having the relationships coefficients above a certain value. Therefore, the member can easily find desired members.

INSERT A HERE

[0020]

PREFERRED

[Description of the Embodiment]

The invention will be described with respect to a human relationships registering system shown in the accompanying drawings. Fig. 1 schematically shows that this system is constituted using the Internet.

[0021]

Referring to Fig. 1, members are accessible via the Internet 4 to a server 1 as a second data processing unit from their personal computers 2 and 3 as first data processing units. Each personal computer comprises a computer body, an input section such as a keyboard, mouse and so on, a display, a memory such as a RAM, a hard disc, and so on. The server 1 is similar to the personal computer. The personal computer may include a printer in order to print data.

[0022]

The server 1 provides a Web site for constituting the human relationships registering system, stores names and personal data of registered members, and has a database for retrieving the names and personal data of the registered members. The Web site of the server 1 is assigned an address for the Internet 4.

[0023]

Each of the personal computers 2 and 3 stores a browser in the storage such as a hard disc in order to perform communications via the Internet 4. The personal computer 2 or 3 activates the browser and specifies an address, thereby connecting to the Web site of the human relationships registering system offered by the server 1.

[0024]

An input section of the personal computer 2 or 3 transmits registering data to the server 1 via the Internet 4. When a registration keyword or the like is inputted, the server 1 retrieves necessary data. The retrieved data are indicated on a display of the personal computer 2 or 3.

[0025]

The use of the human relationships registering system will be described with reference to Figs. 1 to 7. Fig. 2 is a schematic diagram showing human relationships data which are created by the human relationships registering system. Fig. 3 shows an example of a Web page used for entering the Web site offered by the server 1. Fig. 4 shows an

example of a Web page used for registering a personal data of a new member at the human relationships registering system. Fig. 5 shows an example of a Web page an existing member uses for confirming a personal data of a new member. Fig. 6 shows an example of a Web page used for retrieval^{ing} data in the human relationships registering system. Fig. 7 is an example of a Web page used to show retrieved results.

[0026]

A new member is registered in the human relationships registering system (called the "system" hereinafter) as shown in Figs. 3 and 4. For convenience of description, it is assumed that an existing member A with the personal computer 2 (called the "computer 2") is going to introduce a new member B who has the personal computer 3 and wishes to enter the system.

[0027]

When the new member B enters the system by himself or herself, he or she activates the browser of the computer 3, inputs a Web site address and gains access to the server 1 via the Internet 4. The computer 3 receives the Web page 21 as shown in Fig. 3 from the server 1 and indicates it on the display. The new member B clicks a new registration button 25 on the Web page 21, so that a signal is transmitted to the server 1. The computer 3 receives the Web page 31 as shown in Fig. 4 from the server 1 and indicates it on the display.

In Fig. 3, reference numeral 22 denotes a column to input an identification code, and reference numeral 23 denotes a column to input a password. By the way, the identification code and the password are inputted in the columns 22 and 23 when an existing member gains access to the server 1. Thereafter, the existing member can access^{to} the server 1 after pushing an OK button 24.

[0028]

Referring to Fig. 4, the new member B enters his or her name 32, occupation 34, address 35, telephone number 36, e-mail address 37, technical field 38 and password 40 as well as the introducer's name 33. Confirming the entered data, the new member B clicks an OK button 39. Thereafter, the data will be transmitted to the server 1 via the Internet 4.

[0029]

The computer 2 of the introducer A (i.e. the existing member A) receives Web page 41 as shown in Fig. 5 from the server 1 in response to an

e-mail. The Web page 41 indicates the new member B's name, occupation, technical field in columns 42, 43 and 44. Confirming the contents, the introducer A clicks a confirmation button 45 on the Web page 41. Thereafter, a confirmation signal is sent to the server 1. In response to the confirmation signal, the server 1 stores the new member B's personal data and password in correlation with the introducer A. Fig. 4 shows only some examples of data to be stored with respect to the new member B. The following data may be added: a new member's age, academic backgrounds, occupational backgrounds, qualifications and so on. The entered data can be updated in the server 1 whenever there are changes after the registration.

[0030]

Alternatively, the introducer A may register the new member B. In this case, the introducer A enters the personal data of the new member B (shown in Fig. 4) using his computer 2 in order to send them to the server 1. Thereafter, the computer 3 of the new member B receives the personal data from the server 1 by an e-mail. Confirming the received data, the new member B returns the confirmation signal to the server 1. Thus, the new member B will be registered in the server 1.

Further, when receiving an e-mail address of the new member B from the introducer A, the server 1 may send an e-mail to the new member B in order to urge the new member B to register his or her personal data. Upon receiving the personal data of the new member B, the server 1 stores the received data in correlation with the introducer A's name and so on.

[0031]

The new member's data are confirmed by the introducer, and are stored in correlation with the introducer. The server 1 creates human relationships data and a human relationships diagram showing the human relationships on the basis of the relationships between the new member and the introducer. At the time of registration, a new member is assigned an identification code (ID No.).

[0032]

The registered member can establish relationships with existing members, and obtain a relationship coefficient indicating degrees of relationships. For this purpose, members may send protocol e-mails to particular existing members. For instance, a sender may indicate that he or she respects or admires an existing member and wishes to establish

relationships with the existing member, and so on. Such a protocol e-mail may be sent to the existing member as an e-mail via the server 1. In response to the protocol e-mail, the existing member may meet the sender's request, and establish the relationships with the sender. Therefore, the sender can be related to the receiver (i.e. the existing member), and obtain a relationships coefficient. As will be described later, the relationships coefficient is maximum when the relationships are directly established between members while the relationships coefficient becomes smaller when the relationships are indirectly established via other members. In other words, it is possible to objectively know a degree of relationships on the basis of the relationships coefficients.

[0033]

The human relationships registering system shown in Fig. 1 and the human relationships diagram will be utilized as described hereinafter.

[0034]

The server 1 creates a human relationships diagram as shown in Fig. 2 on the basis of the basic data in which members are registered in correlation with one another, and on the basis of agreements between members who have exchanged protocol e-mails. The server 1 sends the human relationships diagram to the computer 3. In Fig. 2, reference numerals 11 to 20 denote members, and lines denote members who are correlated with one another after exchanging protocol e-mails and agreeing to establish relationships. Further, relationships coefficients of the correlated members may be indicated in the human relationships diagram.

[0035]

Relationships coefficients are updated each time new human relationships are established between registered members. The updated relationship coefficients are stored in the server 1. Therefore, latest relationships can be known even after relationships are changed between registered members.

[0036]

Referring to Fig. 2, the member 13 is directly related to the members 11, 14, 15, 16 and 18 while the member 13 is indirectly related to the members 12, 17, 19 and 20. Further, it is possible to indicate all the members having relationships coefficients which are larger than a predetermined value. Still further, it is possible to indicate occupations and

technical fields of members.

[0037]

The following describe how the human relationships registering system is actually operated with reference to Figs. 3, 6 and 7. It is assumed here that the member B activates a browser of the computer 3 and connects to the server 1 via the Internet 4. The Web page 21 (shown in Fig. 3) is indicated on the display of the computer 3. The member B enters his or her identification code (ID No.) and password on the columns 22 and 23 via the input section, and clicks the OK button 24. The input data are sent to the server 1, which confirms whether the identification code agrees with the password, and indicates a Web page 57 (shown in Fig. 6) on the display of the computer 3.

The identification codes are usually assigned to the members by the server 1. Alternatively, members' e-mail addresses may be used as identification codes.

[0038]

In order to know the human relationships of the member 13 (shown in Fig. 2), the member B enters the data concerning the member 13 on the columns 52 to 55, clicks a retrieve button 56. Then, the Web page 61 (shown in Fig. 7) is indicated on the display of the computer3, and indicates on columns 63 to 67 the members 11, 15, 18, 12, 17 and so on who are related to the member 13. The occupations and relationship coefficients of the members 11, 15, 18, 12, 17 and so on are indicated on columns 70 and 71. In this case, it is possible to indicate only the members whose relationship coefficients exceed the predetermined value. A plurality of retrieval keywords may be input in the columns 52 to 55. Further, the Web page 61 may indicate technical fields and so on of the related members.

[0039]

In order to retrieve data concerning members having particular occupations or engaged in particular technical fields, the member B enters keywords of the particular occupations or technical fields in the columns 52 to 55. The entered data are sent to the server 1, which retrieves desired data and indicates them on the computer 3. Alternatively, personal data of the retrieved members may be indicated by double clicking the columns 63 to 67.

Further, the relationship coefficients may be used as the keywords

for the retrieval. In other words, it is possible to retrieve members who are related to a particular member (who may be a retrieving member) and have the relationships coefficient of a particular value.

[0040]

According to the invention, it is possible to get acquainted with specialists in various particular fields by indicating occupations and technical fields of members with the human relationships diagram. Therefore, the invention is useful in order to obtain expert knowledge or information. In short, the human relationships diagram can be applied as one of effective business measures.

[0041]

Referring to the indicated relationships coefficients of members, some members who ~~is~~^{are} not directly related to a desired member shown in the human relationship diagram can find an introducer (another member) related to the desired member.

[0042]

The relationships coefficients will be described in detail. Figs. 8(a) to 8(c) show example ~~of~~^{of} human relationship diagrams created as human relationships data. The human relationships change from a state (a) to a state (b) and to a state (c). In these drawings, characters M, I, D, S and N denote members who are connected by lines when relationships are established therebetween.

[0043]

Referring to Fig. 8(a), the member M is directly related to the member I, and is indirectly related to the members D and S. The term "directly" means that the relationship is established between the members M and I by exchanging the protocol e-mails therebetween. The term "indirectly" means that the member M has no direct relationship with the members D and S. In short, the member M is related to the members D and S via the member I.

In Fig. 8(b), the members M and D are directly related ~~each other~~^{to} by exchanging the protocol e-mails.

Fig. 8(c) shows that the member N is directly related to the member I by exchanging the protocol e-mails, and is indirectly related to the members M, D and S via the member I.

[0044]

Figs. 9(a) to 9(c) are tables showing examples of relationships coefficients of the members stored in the server 1. These tables correspond to Fig. 8(a) to 8(c), respectively. Characters ID-M, ID-I, ID-D, ID-S and ID-N denote the identification codes of the members M, I, D, S and N. The figures in Figs. 9(a) to 9(c) are the relationship coefficients between members.

A maximum relationships coefficient "1.0" is assigned when members are directly related to each other. The relationships coefficient "1.0" is halved as the number of intermediate members increases. In short, a relationship coefficient "0.5" is assigned to a first member and a third member when a first member is related to a third member via a second member who is directly related to the first member. A minimum relationship coefficient "0.25" is assigned to a first member and a fourth member when the first member is related to the fourth member via the second member and the third member who is directly related to the second member.

[0045]

Referring to Fig. 9(a), the relationships coefficients assigned to the member M are "1.0" based on direct relationship to the member I, "0.5" based on relationship to the member D via the member I, "0.25" based on relationship to the member S via the member I and D.

In the example shown in Fig. 9(b), if the member M is directly related to the member D (by exchanging the protocol e-mails), the relationships coefficient is changed to "1.0" between the members M and D. Further, the relationships coefficient is changed to "0.5" between the member M and the member S who is directly related to the member D. Needless to say, the relationship coefficient remains "1.0" between the member M and I who are directly related.

As shown in Fig. 9(c), the relationships coefficient "1.0" is assigned to the member N who is directly related to the member I. The relationships coefficient "0.5" is assigned to the member N who is related to the members D and M via the member I. The relationships coefficient "0.25" is assigned to the member N who is related to the member S via the members I and D.

[0046]

As described above, it is possible to objectively know degrees of the human relationships on the basis of the relationships coefficients. The

following describe a case in which the member S (shown in Fig. 8(a)) retrieves data of existing members using a keyword "law" representing a technical field.

[0047]

Fig. 10 shows an example of personal data of the members M, I, D and S which are stored in the server 1. In response to the keyword "law" entered by the member S, the server 1 retrieves and outputs data concerning the members M and I who are practicing the law. In this case, the relationships coefficients between the member S and the members M and I (shown in Fig. 8(a)) may be also indicated. This enables the member S to check the presence of the member whose relationship coefficient is high to the member S. Further, the server 1 may indicate a human relationships diagram concerning the members S, M and I (shown in Fig. 8(a)). On the basis of the human relationships diagram, the member S who is retrieving the data can confirm the degrees of relationships with the members M, I and himself or herself. For example, the member S can know that he or she is accessible to the member I via the member D who is directly related to the members I and S.

[0048]

When a computer-readable recording medium such as a CD-ROM which stores the program for executing the human relationships registering method of the invention is used, another computer (not shown) can function as a server by reading the stored program similarly to the server 1.

[0049]

Although the invention has been described with respect to one embodiment thereof, it will be understood that various modifications or alterations are possible without departing from the spirit of the present invention. For instance, a plurality of computers may be connected to a server using a dedicated line such as a LAN in place of the Internet. The Web pages are simply shown as examples, and may be configured as desired.

[0050]

[Effects of the Invention]

The invention is effective and useful when persons create human relationships data in order to get acquainted with specialists in various particular fields, and obtain expert knowledge or information.

According to the invention, the relationships coefficients are not

assigned until relationships are established between members after mutual agreements are reached. The invention actively assists persons to establish wide and close relationships between members registered in the human relationships registering system.

Further, when some member retrieves data on existing members, relationship coefficients of the retrieving member and the existing members whose data are being retrieved are indicated. The retrieving member can select at least members who are close to him or her.

INSERT
A

[Brief Description of the Drawings]

Fig. 1 schematically shows how a human relationships registering system is constituted via a general communication line such as an Internet.

Fig. 2 is a schematic human relationships diagram created by the human relationships registering system.

Fig. 3 shows an example of a Web page used for entering the Web site offered by the human relationships registering system.

Fig. 4 shows an example of Web page used for registering a personal data of a new member at the human relationships registering system.

Fig. 5 shows an example of a Web page that an existing member uses for confirming a personal data of a new member.

Fig. 6 shows an example of Web page used for retrieving data in the human relationships registering system.

Fig. 7 shows an example of a Web page used for indicating retrieved data.

Fig. 8 is another schematic human relationships diagram created by the human relationships registering system.

Fig. 9 is a graph showing relationships coefficient between members which are stored in the server 1.

Fig. 10 shows an example of personal data stored in the server 1.

[Description of Reference Numerals]

- 2, 3 personal computers as first data processing units
- 1 server as a second data processing unit
- 4 Internet

INSERT B HERE

09978030 1030902



CERTIFICATE OF TRANSLATION

The undersigned Yoshie Takahashi hereby declare that I am fully conversant with the English and Japanese language and that the following is an accurate translation of the U.S. Patent Application Serial No. 09/978,030 filed in the U.S. Patent and Trademark Office on or around October 17 , 2001.

I declare that all statements made herein of own knowledge are true and that all statements made on information and belief are believed to be true; and further that willful false statements and with the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

January 16, 2002

Yoshie Takahashi
Yoshie Takahashi, translator



[Document] Specification

[Title of the Invention]

HUMAN RELATIONSHIPS REGISGTERING SYSTEM, METHOD AND DEVICE FOR REGISTERING HUMAN RELATIONSHIPS, PROGRAM FOR REGISTERING HUMAN RELATIONSHIPS, AND MEDIUM STORING HUMAN RELATIONSHIPS REGISTERING PROGRAM AND READABLE BY COMPUTER

[What is claimed is:]

1. A human relationships registering system comprising: a first data processing unit including section for inputting personal data of new members; and a second data processing unit including section for storing the received personal data of the new members by confirming relationships of the new members with existing members and by correlating the new members with the existing members.
2. The human relationships registering system of claim 1, wherein the second data processing unit stores relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and stores relationships coefficients of members who are related to the members who agree to establish human relationships.
3. The human relationships registering system of claim 2, wherein the agreement between the members is confirmed by exchanging e-mails.
4. The human relationships registering system of claim 2 or 3, wherein the second data processing unit creates human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and provide the created data to the members.
5. A method of registering human relationships, comprising: inputting personal data of new members in a server; and storing the personal data of the new members in the server by confirming the new members' relationships with existing members and by correlating the new members with the existing members.
6. The method of registering human relationships of claim 5 further comprising storing relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and relationships coefficients of members who are related to the members who agree to establish human relationships.

7. The method of claim 6, wherein the agreement between the members is confirmed by exchanging e-mails.

8. The method of claim 6 or 7 further comprising creating human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and providing the created data to the members.

9. A server for registering human relationships, comprising: a section for receiving personal data of new members; a section for confirming the received personal data by referring them back to existing members; and a section for storing the confirmed data in correlation with the existing members.

10. The server of claim 9, wherein the storing section stores relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships, and relationships coefficients of members who are related to the members who agree to establish human relationships.

11. The server of claim 10, wherein the agreement between the members is confirmed by exchanging e-mails.

12. The server of claim 10 or 11, wherein human relationships data are created on the basis of stored personal data and relationships coefficients between members in response to members' requests, and the created data are provided to the members.

13. A human relationships registering program used by a server defined in any one of claims 9 to 12, the server being a computer.

14. A recording medium for storing the human relationships registering program defined in claim 13, and being readable by a computer.

[Detailed Description of the Invention]

[0001]

[Field of the Invention]

The invention relates to a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close human relationships.

[0002]

[Related Art]

Up to now, there has been no efficient system or method which is usable in order to get acquainted with specialists in various particular fields and obtain expert knowledge or information.

Each person has been required to make every effort in order to establish wide and close relationships with a great number of people. There has been no system which actively supports such a person.

[0003]

[Problems to be solved by the Invention]

The present invention is intended to provide a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium for storing human relationships registering program and readable by a computer, all of which are used to establish wide and close human relationships.

Further, the invention aims at providing a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close relationships with specialists in various particular fields and obtain expert knowledge or information.

[0004]

[Means to solve the Problems]

In order to accomplish the foregoing object of the invention, there is provided a human relationships registering system comprising: a first data processing unit including a section for inputting personal data of new members; and a second data processing unit including a section for storing the personal data of the new members, and storing the personal data of the new members by confirming relationships of the new members with existing members and correlating the new members with the existing members.

[0005]

With the foregoing system, new members are not registered until they are confirmed by existing members, so that it is possible to maintain reliable human relationships between members. Further, new members are correlated to existing members, which enable members to know their relationships with one another and create their own human relationships

data. A personal computer or a server computer is applicable as a data processing unit in order to easily create human relationships data of a great number of members.

[0006]

A further human relationships registering system comprises a first data processing unit connected to the Internet and having an input section, and a second data processing unit connected to the first data processing unit via the Internet, registering names of members received via the input section and storing data concerning the members. The data of new members received via the first data processing unit are confirmed by existing members, and are registered thereafter. The second data processing unit stores the new members in correlation with the existing members.

[0007]

In the this system, the first and second data processing units are provided at different locations and are connected via the Internet, which enables a number of members can gain access to the processing units from any locations in order to register themselves. Therefore, this system is very convenient to use.

[0008]

In the foregoing case, new members may be registered after they confirm their own data.

[0009]

It is preferable to store data concerning occupations of new members to be registered. This is effective in enabling members to know specialists in various particular fields and obtain expert knowledge or information. In short, human relationships data are usable as one of effective measures for carrying out business activities.

[0010]

It is preferable to store relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween, and store relationships coefficients of members who are related to the members who agree to establish human relationships. The relationships coefficients may be effective in establishing wide and close relationships between members in a variety of technical fields, and promoting personal influences and contribution to the society.

[0011]

Relationships between members can be objectively known on the basis of the relationships coefficients.

It is preferable to get agreement between existing members using e-mails. For this purpose, e-mails may be exchanged between members when it is necessary to establish relationships between them. In such a case, members may get acquainted with other members even when they do not know of one another directly. This is effective in increasing the relationships coefficients.

[0012]

The first data processing unit has a display to indicate a number of members and personal data thereof. The display shows human relationships data between members out of basic data in which new members are correlated with existing members. When a particular member is specified by the input section of the first data processing unit, the display preferably shows the specified member in such a manner that it is correlated to particular existing members.

[0013]

A method of registering human relationships comprises a first data processing step for connecting to the Internet and receiving data via the Internet, and a second data processing step for registering a plurality of members' names received in the first data processing step and storing personal data of the members. In the second data processing step, data of a new member received via the Internet are registered after referring them back to an existing member, so that the new member's data are stored as basic data in correlation with the existing member.

[0014]

This method is easily and effectively applicable to and used by the human relationships registering system which operates via the Internet.

[0015]

In the foregoing method, new members are preferably registered after they confirm their own data. Further, it is preferable to store data concerning occupations, technical fields and so on of the new members. Still further, when relationships are established between existing members upon their agreement, it is preferable to store relationships coefficients therebetween and relationships coefficients of members related to the

existing members. The agreement between particular existing members is preferably reached by exchanging e-mails.

[0016]

The registered human relationships data are preferably used in the following steps: creating human relationships data on the basis of basic data in which a plurality of members are correlated; indicating personal data of members; and indicating the created human relationships data. In this case, it is preferable to select a particular member in the first data processing step, and to indicate members who are correlated to the selected particular member as well as human relationships data.

[0017]

In order to use the registered human relationships data, a member inputs his or her identification code in the first data inputting step. Once identified, the member is allowed to gain access to his or her registration and personal data. This prevents the foregoing data from being infinitely retrieved by members, and protects the data.

[0018]

As another way of using the registered data, a member may specify a particular occupation and/or technical field in order to indicate members classified in the specified occupation and/or technical field. Therefore, the member can easily retrieve data of the desired members out of the human relationships data.

[0019]

In a still further way of using the registered data in which relationships coefficients between members are stored, a member specifies a particular member in the first data processing step, and indicates not only the human relationships data of the specified member but also those of the members correlated to the specified member and the relationships coefficients between the indicated members. This enables the member to easily know the relationships between the members and the relationships coefficients between them. In this case, it is also possible to indicate the members with a particular occupation and/or in a particular technical field, and the members correlated to the foregoing members. It is also possible to indicate the members having the relationships coefficients above a certain value. Therefore, the member can easily find desired members.

[0020]

[Description of the Embodiment]

The invention will be described with respect to a human relationships registering system shown in the accompanying drawings. Fig. 1 schematically shows that this system is constituted using the Internet.

[0021]

Referring to Fig. 1, members are accessible via the Internet 4 to a server 1 as a second data processing unit from their personal computers 2 and 3 as first data processing units. Each personal computer comprises a computer body, an input section such as a keyboard, mouse and so on, a display, a memory such as a RAM, a hard disc, and so on. The server 1 is similar to the personal computer. The personal computer may include a printer in order to print data.

[0022]

The server 1 provides a Web site for constituting the human relationships registering system, stores names and personal data of registered members, and has a database for retrieving the names and personal data of the registered members. The Web site of the server 1 is assigned an address for the Internet 4.

[0023]

Each of the personal computers 2 and 3 stores a browser in the storage such as a hard disc in order to perform communications via the Internet 4. The personal computer 2 or 3 activates the browser and specifies an address, thereby connecting to the Web site of the human relationships registering system offered by the server 1.

[0024]

An input section of the personal computer 2 or 3 transmits registering data to the server 1 via the Internet 4. When a registration keyword or the like is inputted, the server 1 retrieves necessary data. The retrieved data are indicated on a display of the personal computer 2 or 3.

[0025]

The use of the human relationships registering system will be described with reference to Figs. 1 to 7. Fig. 2 is a schematic diagram showing human relationships data which are created by the human relationships registering system. Fig. 3 shows an example of a Web page used for entering the Web site offered by the server 1. Fig. 4 shows an

example of a Web page used for registering a personal data of a new member at the human relationships registering system. Fig. 5 shows an example of a Web page an existing member uses for confirming a personal data of a new member. Fig. 6 shows an example of a Web page used for retrieve data in the human relationships registering system. Fig. 7 is an example of a Web page used to show retrieved results.

[0026]

A new member is registered in the human relationships registering system (called the "system" hereinafter) as shown in Figs. 3 and 4. For convenience of description, it is assumed that an existing member A with the personal computer 2 (called the "computer 2") is going to introduce a new member B who has the personal computer 3 and wishes to enter the system.

[0027]

When the new member B enters the system by himself or herself, he or she activates the browser of the computer 3, inputs a Web site address and gains access to the server 1 via the Internet 4. The computer 3 receives the Web page 21 as shown in Fig. 3 from the server 1 and indicates it on the display. The new member B clicks a new registration button 25 on the Web page 21, so that a signal is transmitted to the server 1. The computer 3 receives the Web page 31 as shown in Fig. 4 from the server 1 and indicates it on the display.

In Fig. 3, reference numeral 22 denotes a column to input an identification code, and reference numeral 23 denotes a column to input a password. By the way, the identification code and the password are inputted in the columns 22 and 23 when an existing member gains access to the server 1. Thereafter, the existing member can access to the server 1 after pushing an OK button 24.

[0028]

Referring to Fig. 4, the new member B enters his or her name 32, occupation 34, address 35, telephone number 36, e-mail address 37, technical field 38 and password 40 as well as the introducer's name 33. Confirming the entered data, the new member B clicks an OK button 39. Thereafter, the data will be transmitted to the server 1 via the Internet 4.

[0029]

The computer 2 of the introducer A (i.e. the existing member A) receives Web page 41 as shown in Fig. 5 from the server 1 in response to an

e-mail. The Web page 41 indicates the new member B's name, occupation, technical field in columns 42, 43 and 44. Confirming the contents, the introducer A clicks a confirmation button 45 on the Web page 41. Thereafter, a confirmation signal is sent to the server 1. In response to the confirmation signal, the server 1 stores the new member B's personal data and password in correlation with the introducer A. Fig. 4 shows only some examples of data to be stored with respect to the new member B. The following data may be added: a new member's age, academic backgrounds, occupational backgrounds, qualifications and so on. The entered data can be updated in the server 1 whenever there are changes after the registration. [0030]

Alternatively, the introducer A may register the new member B. In this case, the introducer A enters the personal data of the new member B (shown in Fig. 4) using his computer 2 in order to send them to the server 1. Thereafter, the computer 3 of the new member B receives the personal data from the server 1 by an e-mail. Confirming the received data, the new member B returns the confirmation signal to the server 1. Thus, the new member B will be registered in the server 1.

Further, when receiving an e-mail address of the new member B from the introducer A, the server 1 may send an e-mail to the new member B in order to urge the new member B to register his or her personal data. Upon receiving the personal data of the new member B, the server 1 stores the received data in correlation with the introducer A's name and so on. [0031]

The new member's data are confirmed by the introducer, and are stored in correlation with the introducer. The server 1 creates human relationships data and a human relationships diagram showing the human relationships on the basis of the relationships between the new member and the introducer. At the time of registration, a new member is assigned an identification code (ID No.). [0032]

The registered member can establish relationships with existing members, and obtain a relationship coefficient indicating degrees of relationships. For this purpose, members may send protocol e-mails to particular existing members. For instance, a sender may indicate that he or she respects or admires an existing member and wishes to establish

relationships with the existing member, and so on. Such a protocol e-mail may be sent to the existing member as an e-mail via the server 1. In response to the protocol e-mail, the existing member may meet the sender's request, and establish the relationships with the sender. Therefore, the sender can be related to the receiver (i.e. the existing member), and obtain a relationships coefficient. As will be described later, the relationships coefficient is maximum when the relationships are directly established between members while the relationships coefficient becomes smaller when the relationships are indirectly established via other members. In other words, it is possible to objectively know a degree of relationships on the basis of the relationships coefficients.

[0033]

The human relationships registering system shown in Fig. 1 and the human relationships diagram will be utilized as described hereinafter.

[0034]

The server 1 creates a human relationships diagram as shown in Fig. 2 on the basis of the basic data in which members are registered in correlation with one another, and on the basis of agreements between members who have exchanged protocol e-mails. The server 1 sends the human relationships diagram to the computer 3. In Fig. 2, reference numerals 11 to 20 denote members, and lines denote members who are correlated with one another after exchanging protocol e-mails and agreeing to establish relationships. Further, relationships coefficients of the correlated members may be indicated in the human relationships diagram.

[0035]

Relationships coefficients are updated each time new human relationships are established between registered members. The updated relationship coefficients are stored in the server 1. Therefore, latest relationships can be known even after relationships are changed between registered members.

[0036]

Referring to Fig. 2, the member 13 is directly related to the members 11, 14, 15, 16 and 18 while the member 13 is indirectly related to the members 12, 17, 19 and 20. Further, it is possible to indicate all the members having relationships coefficients which are larger than a predetermined value. Still further, it is possible to indicate occupations and

technical fields of members.

[0037]

The following describe how the human relationships registering system is actually operated with reference to Figs. 3, 6 and 7. It is assumed here that the member B activates a browser of the computer 3 and connects to the server 1 via the Internet 4. The Web page 21 (shown in Fig. 3) is indicated on the display of the computer 3. The member B enters his or her identification code (ID No.) and password on the columns 22 and 23 via the input section, and clicks the OK button 24. The input data are sent to the server 1, which confirms whether the identification code agrees with the password, and indicates a Web page 57 (shown in Fig. 6) on the display of the computer 3.

The identification codes are usually assigned to the members by the server 1. Alternatively, members' e-mail addresses may be used as identification codes.

[0038]

In order to know the human relationships of the member 13 (shown in Fig. 2), the member B enters the data concerning the member 13 on the columns 52 to 55, clicks a retrieve button 56. Then, the Web page 61 (shown in Fig. 7) is indicated on the display of the computer 3, and indicates on columns 63 to 67 the members 11, 15, 18, 12, 17 and so on who are related to the member 13. The occupations and relationship coefficients of the members 11, 15, 18, 12, 17 and so on are indicated on columns 70 and 71. In this case, it is possible to indicate only the members whose relationship coefficients exceed the predetermined value. A plurality of retrieval keywords may be input in the columns 52 to 55. Further, the Web page 61 may indicate technical fields and so on of the related members.

[0039]

In order to retrieve data concerning members having particular occupations or engaged in particular technical fields, the member B enters keywords of the particular occupations or technical fields in the columns 52 to 55. The entered data are sent to the server 1, which retrieves desired data and indicates them on the computer 3. Alternatively, personal data of the retrieved members may be indicated by double clicking the columns 63 to 67.

Further, the relationship coefficients may be used as the keywords

for the retrieval. In other words, it is possible to retrieve members who are related to a particular member (who may be a retrieving member) and have the relationships coefficient of a particular value.

[0040]

According to the invention, it is possible to get acquainted with specialists in various particular fields by indicating occupations and technical fields of members with the human relationships diagram. Therefore, the invention is useful in order to obtain expert knowledge or information. In short, the human relationships diagram can be applied as one of effective business measures.

[0041]

Referring to the indicated relationships coefficients of members, some member who is not directly related to a desired member shown in the human relationship diagram can find an introducer (another member) related to the desired member.

[0042]

The relationships coefficients will be described in detail. Figs. 8(a) to 8(c) show example human relationship diagrams created as human relationships data. The human relationships change from a state (a) to a state (b) and to a state (c). In these drawings, characters M, I, D, S and N denote members who are connected by lines when relationships are established therebetween.

[0043]

Referring to Fig. 8(a), the member M is directly related to the member I, and is indirectly related to the members D and S. The term "directly" means that the relationship is established between the members M and I by exchanging the protocol e-mails therebetween. The term "indirectly" means that the member M has no direct relationship with the members D and S. In short, the member M is related to the members D and S via the member I.

In Fig. 8(b), the members M and D are directly related each other by exchanging the protocol e-mails.

Fig. 8(c) shows that the member N is directly related to the member I by exchanging the protocol e-mails, and is indirectly related to the members M, D and S via the member I.

[0044]

Figs. 9(a) to 9(c) are tables showing examples of relationships coefficients of the members stored in the server 1. These tables correspond to Fig. 8(a) to 8(c), respectively. Characters ID-M, ID-I, ID-D, ID-S and ID-N denote the identification codes of the members M, I, D, S and N. The figures in Figs. 9(a) to 9(c) are the relationship coefficients between members.

A maximum relationships coefficient "1.0" is assigned when members are directly related to each other. The relationships coefficient "1.0" is halved as the number of intermediate members increases. In short, a relationship coefficient "0.5" is assigned to a first member and a third member when a first member is related to a third member via a second member who is directly related to the first member. A minimum relationship coefficient "0.25" is assigned to a first member and a fourth member when the first member is related to the fourth member via the second member and the third member who is directly related to the second member.

[0045]

Referring to Fig. 9(a), the relationships coefficients assigned to the member M are "1.0" based on direct relationship to the member I, "0.5" based on relationship to the member D via the member I, "0.25" based on relationship to the member S via the member I and D.

In the example shown in Fig. 9(b), if the member M is directly related to the member D (by exchanging the protocol e-mails), the relationships coefficient is changed to "1.0" between the members M and D. Further, the relationships coefficient is changed to "0.5" between the member M and the member S who is directly related to the member D. Needless to say, the relationship coefficient remains "1.0" between the member M and I who are directly related.

As shown in Fig. 9(c), the relationships coefficient "1.0" is assigned to the member N who is directly related to the member I. The relationships coefficient "0.5" is assigned to the member N who is related to the members D and M via the member I. The relationships coefficient "0.25" is assigned to the member N who is related to the member S via the members I and D.

[0046]

As described above, it is possible to objectively know degrees of the human relationships on the basis of the relationships coefficients. The

following describe a case in which the member S (shown in Fig. 8(a)) retrieves data of existing members using a keyword "law" representing a technical field.

[0047]

Fig. 10 shows an example of personal data of the members M, I, D and S which are stored in the server 1. In response to the keyword "law" entered by the member S, the server 1 retrieves and outputs data concerning the members M and I who are practicing the law. In this case, the relationships coefficients between the member S and the members M and I (shown in Fig. 8(a)) may be also indicated. This enables the member S to check the presence of the member whose relationship coefficient is high to the member S. Further, the server 1 may indicate a human relationships diagram concerning the members S, M and I (shown in Fig. 8(a)). On the basis of the human relationships diagram, the member S who is retrieving the data can confirm the degrees of relationships with the members M, I and himself or herself. For example, the member S can know that he or she is accessible to the member I via the member D who is directly related to the members I and S.

[0048]

When a computer-readable recording medium such as a CD-ROM which stores the program for executing the human relationships registering method of the invention is used, another computer (not shown) can function as a server by reading the stored program similarly to the server 1.

[0049]

Although the invention has been described with respect to one embodiment thereof, it will be understood that various modifications or alterations are possible without departing from the spirit of the present invention. For instance, a plurality of computers may be connected to a server using a dedicated line such as a LAN in place of the Internet. The Web pages are simply shown as examples, and may be configured as desired.

[0050]

[Effects of the Invention]

The invention is effective and useful when persons create human relationships data in order to get acquainted with specialists in various particular fields, and obtain expert knowledge or information.

According to the invention, the relationships coefficients are not

assigned until relationships are established between members after mutual agreements are reached. The invention actively assists persons to establish wide and close relationships between members registered in the human relationships registering system.

Further, when some member retrieves data on existing members, relationship coefficients of the retrieving member and the existing members whose data are being retrieved are indicated. The retrieving member can select at least members who are close to him or her.

[Brief Description of the Drawings]

Fig. 1 schematically shows how a human relationships registering system is constituted via a general communication line such as an Internet.

Fig. 2 is a schematic human relationships diagram created by the human relationships registering system.

Fig. 3 shows an example of a Web page used for entering the Web site offered by the human relationships registering system.

Fig. 4 shows an example of Web page used for registering a personal data of a new member at the human relationships registering system.

Fig. 5 shows an example of a Web page that an existing member uses for confirming a personal data of a new member.

Fig. 6 shows an example of Web page used for retrieving data in the human relationships registering system.

Fig. 7 shows an example of a Web page used for indicating retrieved data.

Fig. 8 is another schematic human relationships diagram created by the human relationships registering system.

Fig. 9 is a graph showing relationships coefficient between members which are stored in the server 1.

Fig. 10 shows an example of personal data stored in the server 1.

[Description of Reference Numerals]

- 2, 3 personal computers as first data processing units
- 1 server as a second data processing unit
- 4 Internet

[Document] Abstract

[Summary]

[Object]

To provide a human relationships registering system, a method and a server for registering human relationships, a program for registering human relationships, and a medium storing human relationships registering program and readable by a computer, all of which are used to establish wide and close relationships with members having a variety of occupations or engaged in various technical fields and to obtain expert knowledge or information.

[Means of Solution]

The human relationships registering system comprises first data processing units 2 and 3 including sections for receiving personal data of a new member, and a second data processing unit including a section for storing the received personal data. The second data processing unit stores the personal data of the new member in correlation to an existing member when the existing member confirms the new member.

[Reference Drawing] Fig. 1